


## PATENT

<b>CERTIFICATE OF FACSIMILE TRANSMISSION</b>	
I hereby certify that this correspondence is being sent via facsimile to the U.S. Patent and Trademark Office at facsimile number (571) 273-8300 on the date set forth below.	
 Ginger G. Grammer	11/3/05 Date

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Serial No.: 10/047,578  
Filing Date: October 26, 2001  
Applicants: Jeffrey S. Kiel et al.  
Title: PHENYLEPHRINE TANNATE AND PYRILAMINE TANNATE  
SALTS IN PHARMACEUTICAL COMPOSITIONS  
Art Unit: 1614  
Examiner: Brian Kwon  
Confirmation No.: 1696  
Attorney Docket: PEDI-04 (formerly KIEL-02)

Cincinnati, Ohio

November 3, 2005

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

**DECLARATION OF H. GREG THOMAS UNDER 37 C.F.R. § 1.132**

1) I am H. Greg Thomas, Ph.D. I reside at 700 Bethesda Church Road, Carrollton, Georgia 30117. I am listed as a coinventor of U.S. Patent Application Serial No. 10/047,578.

2) I received a B.A. degree in Chemistry from the State University of West Georgia in 1978 and a Ph.D. from the University of Georgia, College of Pharmacy, Department of Medicinal Chemistry in 1983. I was a Senior Manager, Analytical Development, and

Application Serial No. 10/047,578  
Declaration under 37 CFR § 1.1.32  
Reply to Office Action dated May 4, 2005

Principal Scientist of Drug Disposition and Safety at Solvay Pharmaceuticals from 1989-1997. Prior to 1989, I was an Associate of Medicine/Principle Investigator at Emory University and the Veterans Administration Medical Center in Atlanta, Georgia. I joined Kiel Laboratories, Inc. in 1998 as Director of Laboratory Services. In 2000, I assumed the responsibility of Vice President of Research and Development, and currently oversee formulation projects, analytical method development and validation, clinical trials, and regulatory submissions. I have authored more than 25 publications and presentations, and served as Peer Reviewer for two journals.

3) I have carefully reviewed and considered U.S. Patent Application Serial No. 10/047,578 ("the '578 application"), the Office Action dated May 4, 2005, issued in the '578 application, and U.S. Patent Nos. 5,599,846 ("Chopdekar") and 6,287,597 ("Gordziel") cited by the Examiner in that Office Action to support the rejection of the claims presented in the '578 application.

4) This Declaration is provided in order to illustrate the unique and nonobvious nature of the tannate salt conversion process and compositions prepared thereby, which are the subjects of the '578 application. The information provided herein should not in any way be construed as limitations of the process or composition of the '578 application.

Application Serial No. 10/047,578  
Declaration under 37 CFR § 1.1.32  
Reply to Office Action dated May 4, 2005

5) Both Chopdekar and Gordziel describe processes for the preparation of tannate forms of pyrilamine and/or phenylephrine, which then may be used to prepare compositions including those tannate forms of pyrilamine and/or phenylephrine. In my opinion, and as discussed in greater detail below, the use of those pyrilamine tannate and/or phenylephrine tannate forms to prepare compositions including same, results in compositions that exhibit greater variability of amounts of active ingredients in each batch or dosage unit of the final composition as compared to the presently claimed composition, which is prepared by the method recited in those claims.

6) The claimed composition of the '578 application includes liquid, solid, or semi-solid dosage forms containing a tannate salt complex of active pharmaceutical ingredients ("API"). The composition, as recited in the claims, is prepared by a conversion method which includes the steps of mixing a dispersing agent and tannic acid in a suitable solvent or diluent to generate a mixture in liquid or powder form. The API as a salt or in the free base form is combined with the dispersing agent/tannic acid mixture to generate the tannate salt complex. This complex is incorporated directly into a dosage form (such as a suspension or tablets). The presence of the dispersing agent prevents the clumping and aggregation of the tannate salt complex formed and aids in promoting uniformity of the API in the compositions formed.

Application Serial No. 10/047,578  
Declaration under 37 CFR § 1.1.32  
Reply to Office Action dated May 4, 2005

7) Because the tannate molecule is a large molecule, the percentage of API, such as pyrilamine or phenylephrine, within the tannate salt is significantly lower than that in common salt forms such as the hydrochloride or maleate. Further, commercially available tannate salts vary widely in their purity. The presence of low percentages of API and the variable purity of the commercially available tannate salts leads to the stoichiometry of the API to tannic acid in the tannate salts to be different from batch to batch, and thus ultimately in dosage unit to dosage unit. This increases the likelihood that commercially available pharmaceutical products contain variable and in some instances sub-therapeutic levels of API, when compositions are prepared using the tannate salts, as in Chopdekar and Gordziel. Further, in my experience as a medicinal chemist, an increase in the uniformity of the amounts of API in the tannate salts, such as would be used in Chopdekar and Gordziel, would require further processing of the tannate salts.

8) The claimed compositions of the '578 application, however, contain tannate salts of active ingredients that are prepared with reduced variability in API and increased certainty that the API are delivered within a therapeutic range. This is accomplished by starting with a known amount of commonly available salt or the free base form of the API, which is subsequently converted and incorporated in situ as a tannate salt. Since the tannate salt of the API is generated and incorporated in situ into the dosage form during the manufacturing process, the purification and drying steps required for the

Application Serial No. 10/047,578  
Declaration under 37 CFR § 1.1.32  
Reply to Office Action dated May 4, 2005

isolation of the tannate salt are eliminated and the stoichiometry of the tannate salt is generally uniform from batch to batch. Thus, the invention provides a composition by an efficient and reproducible method to manufacture products containing tannate salts as active ingredients.

9) To demonstrate this further, attached as Exhibit A hereto are commercial specifications for pyrilamine tannate and phenylephrine tannate. Attached as Exhibit B hereto are USP specifications for salt forms of pyrilamine and phenylephrine. A comparison of the specifications provided in Exhibits A and B provides a content variation comparison between active ingredient raw materials used during the manufacture of tannate pharmaceutical compositions, such as those described in Chopdekar and Gordziel, versus that of the presently claimed composition, which uses the method recited in the composition claims of the '578 application. The information concerning content variability in pyrilamine tannate and phenylephrine tannate was obtained from Cadila Pharmaceuticals, Ltd.'s published specifications and is typical of that in the art. The information concerning content variability in common salt raw materials, (pyrilamine maleate and phenylephrine hydrochloride), which is typical of that in the art, was obtained from the USP, which is the source of industry-accepted specifications.